

Product Group: Micronic Filter Cloth

12 x 64 Micronic Filter Cloth, T-304 Stainless Steel

| | | | |
|---------------------------|----------------------------------|----------------------------|-------------------------------------|
| Warp Mesh Count: | 12 | Tolerance: | +/- 2% |
| C-C Pitch: | 0.0833" (2.1167mm) | | |
| Wire Diameter: | 0.0240" (0.6096mm) | Tolerance: | +/- 0.0005" (+/- 0.013mm) |
| Weft Mesh Count: | 64 | Tolerance: | +/- 4% |
| C-C Pitch: | 0.0156" (0.3937mm) | | |
| Wire Diameter: | 0.0165" (0.3970mm) | Tolerance: | +/- 0.0004" (+/- 0.010mm) |
| Total Thickness: | 0.0567" (1.4400mm) | | |
| Material: | T-304 Stainless Steel | Standard: | ASTM A555-79 |
| Weave Type: | Plain Dutch Weave | Standard: | ASTM E2016-06 |
| Nominal Retention: | 200 Microns (0.0079") | Absolute Retention: | 280-300 Microns (0.0114") (290 mic) |
| Weight: | 0.799 lbs/sq.ft. (3.90 kg/sq. m) | | |

| Supply Criteria | | | |
|--------------------------|--|--------------------------|-------------------|
| Full Roll Length: | 100 Feet (30.48M) | Length Tolerance: | +/- 10% |
| Std. Roll Widths: | 48" - 60" | Width Tolerance: | +/- 1/16" (1.6mm) |
| Custom Widths: | Can be slit according to customer requirements | | |

Technical data and statistical information contained in this document have been derived from industry standards. Although we believe that the information supplied is generally correct, we do not assume any responsibility whatsoever for its accuracy. Users of this data sheet do so at their own risk.

When quality counts... Make it Marco!